



FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 2N



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 3



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 3




Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

280 mm

289 mm

310 mm

324 mm



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 3



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 10



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

188 mm

200 mm

210 mm


222 mm

234 mm

246 mm

255 mm

264 mm





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 66



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

250 mm

260 mm

270 mm


280 mm

290 mm

300 mm

310 mm

320 mm



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 66



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 76



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

lfbra

TYPE 79



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com

lfbra.com

lfbra

TYPE 79M



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this template.

188 mm

200 mm

212 mm

224 mm

236 mm


248 mm

260 mm

272 mm

284 mm

296 mm





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

lfbra

TYPE 93M



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





297 mm

FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 97



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 97



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 97



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra

info@lfbra.com



lfbra.com

lfbra

TYPE 97



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com

lfbra.com

lfbra

TYPE 114



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

