

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

# lfbra

## TYPE 2



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 4



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra

info@lfbra.com


lfbra.com

# lfbra

## TYPE 20



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 20



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

# lfbra

## TYPE 20



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 88



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

# lfbra

## TYPE 88




Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



316 mm

329 mm

359 mm



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

# lfbra

## TYPE 88




Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



372 mm

385 mm



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

# lfbra


## TYPE 88



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



398 mm





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

# lfbra

## TYPE 119



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

# lfbra

## TYPE 216



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

# lfbra

## TYPE 217



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.




215 mm

227 mm

240 mm

252 mm

264 mm



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 217



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.





310 mm

FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 229



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.  
Please specify both parameters:

- a (mm)
- b (mm)


| Profile Type                                                                       | Cross-section dimension |        |
|------------------------------------------------------------------------------------|-------------------------|--------|
|                                                                                    | a (mm)                  | b (mm) |
|   | 2.22                    | 0.75   |
|                                                                                    | 2.27                    | 0.92   |
|                                                                                    | 2.76                    | 0.93   |
|  | 2.95                    | 1.75   |

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

# lfbra

## TYPE 231



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

# lfbra

## TYPE 231



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.



# SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra

info@lfbra.com

lfbra.com

# lfbra

## TYPE 231



Print with Custom Scale: 100%.  
Do not use Fit to Page.  
Check the 50 mm ruler before use.  
If it does not match, do not use this  
template.

