



FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

lfbra

TYPE 16



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 16



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

lfbra

TYPE 16



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 22



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

175 mm


192 mm

210 mm

228 mm

246 mm

266 mm





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

lfbra

TYPE 28



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





260 mm

FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 40



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 43



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 67



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 71



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com


lfbra.com

lfbra

TYPE 71



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 113



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 228



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com

lfbra.com

lfbra

TYPE 230



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

