



FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com


lfbra.com

lfbra

TYPE 38



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 38



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 63



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 82



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 82



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 90



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 111



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.

170 mm

180 mm

190 mm

200 mm


210 mm

220 mm

230 mm

240 mm

250 mm



SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 111



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 112



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 219



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com



lfbra.com

lfbra

TYPE 219M



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbracom

info@lfbra.com



lfbra.com

lfbra

TYPE 220



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this
template.





FOR SUCCESSFUL ORDER PROCESSING, PLEASE PROVIDE THE FOLLOWING INFORMATION

1 CROSS-SECTION DIMENSIONS

Select the required cross-section dimensions from the table.
Please specify both parameters:

- a (mm)
- b (mm)


Profile Type	Cross-section dimension	
	a (mm)	b (mm)
	2.22	0.75
	2.27	0.92
	2.76	0.93
	2.95	1.75

! Accurate selection is essential for correct manufacturing

2 PROFILE TYPE


Choose the profile type from our catalog.

Please indicate the exact profile name or item number (article number).



3 UNDERWIRE OUTER FLAT LENGTH

Select the required outer flat length of the underwire from our catalog.



! Providing complete and accurate information ensures timely and smooth order processing

SIA BLAST SOVEREIGN A/T

Ezermalas iela 9A, Liepaja, LV-3401, Latvia

WhatsApp: +371 26386846

Telegram: @lfbra.com

info@lfbra.com

lfbra.com

lfbra

TYPE 227



Print with Custom Scale: 100%.
Do not use Fit to Page.
Check the 50 mm ruler before use.
If it does not match, do not use this template.

